

USER INFORMATION SHEETS FOR GARMENTS

Article numbers: AC205-712-001, AC211-712-001, AP009-712-001, GL137-712-001, JK936-712-001, JK269-712-001, TR615-712-001, TR583-712-001, JK941-712-001

Available sizes: one size for AC205, AC211, GL137, AP009
M-XXXL for JK269, JK936, TR615, TR583, JK941



That Jackets must be worn with trousers meeting the same standard , Trousers must be worn with Jackets meeting the same standard. Aprons, Gaiters and Sleeves must be worn over a welders protective suit that meets at least Class 1 of EN ISO 11611

Product description:

ALL ITEMS CONSIST OF TAN SPLIT LEATHER & SOME ITEMS CONTAIN FR COTTON BLACK CONTRAST PANELS. THESE ITEMS ARE PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II DESIGN.

All Products meet the requirements of the PPE Regulation 2016/425 applicable from April 21ST, 2018: innocuousness, comfort, solidity. It has been subject to an EU type Examination performed by:

INTERTEK (Notified Body No. 0362), Centre Court, Meridian Business Park, Leicester, LE19 IWD, UK

Applicable Standards: These products meet the requirements of the standard ISO 13688 General requirements for these types of products, BS EN ISO 11611 :2015 Protective clothing for use in Welding & Allied processes and are designed to offer protection for the levels shown with icons above:

In the event of accidental contamination like splash of chemicals or flammable liquids on these products, wearers should withdraw and carefully remove garments. Contaminated items should be cleaned or replaced.

An increase in the oxygen content of the air will reduce considerably the protection of the welder's protective clothing against flame. Care should be taken when welding in confined spaces, e.g. if it is possible that the atmosphere may become enriched with oxygen. The electrical insulation provided by clothing will be reduced when the clothing is wet, dirty or soaked with sweat

Intended Use:

Class 1 Recommended for manual welding techniques with light formation of spatters and drops e.g. Gas Welding, TIG welding , MIG welding , micro plasma welding, brazing, spot welding , MIMA welding (with Rutile covered electrode) for operation of machine e.g. oxygen cutting machines , plasma cutting machines, resistance welding machines, machines for thermal spraying, bench welding.

Class 2 Recommended for manual welding techniques with heavy formation of spatters and drops, e.g. MIMA welding (with basic or cellulose-covered electrode). MAG welding (with CO₂ or mixed gases), MID welding (with high current), self-shielded flux cored arc welding, plasma cutting, gouging, oxygen cutting, thermal spraying for operation of machines e.g. in confined spaces at overhead / cutting or in comparable constrained positions. This Clothing is intended to protect against flames, molten metal spatter, radiant heat and short term accidental electrical contact.

Warnings:

For operational reasons not all welding voltages carrying parts of arc welding installations can be protected against direct contact .Aprons should cover the front body of the user at least from side to side seam. Additional partial body protection may be required e.g. for welding overhead or in a knelt position. These Garments are only intended to protect against brief inadvertent contact with live parts of an arc welding circuit, additional electrical insulation layers will be required where there is an increased risk of electric shock. Garments are designed to provide protection against short term, accidental contact with live electric conductors at voltages up to approximately 100 V D.C. Garments should always be worn fully fastened and correctly for protection . When using additional partial protective garments, the basic garments shall meet at least Class 2 of this standard.

Storage and cleaning notice: Keep in its original packaging , under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing: The design performance cannot be significantly affected by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light)

Declaration of conformity and Instruction for use in other languages available on: www.rhinoweld.eu